

### **SECTION 1: IDENTIFICATION**

**Product Identifier:** Black Matrix INK (T1) – P/N 259880-001

**Product Code(s):** 7660 with Surfactant

**Product Use:** Printronix P/N 081905, 080294, 080296, 082285, 083844, 09004294, 09005591, 09005660,

107675-001/005/007/008, 1040990, 1040993, 1040995, 1040998, 175006-001, 175220-001, 57P2308, 176530-001, 179006-001, 179499-001, 254082-001, 254139-001, 255048-401/402/402-WM/4GM/P2P, 255049-101/402/103,

255050-401/402, 255051-001/002/103/, 255162-001, 255165-001, 255661-101/402/103/104,

255670-401/402/403/404, 256109-104, 256110-104, 256111-404, 256976-403, 256977- /403, 257854-104, 258064-4GC, 259885-104, 259885-104-R, 259886-104, 259886-104-R, 259887-104, 259888-104, 259889-104, 259890-104-R, 259891-104-R, 259891-404, 259891-4

45U3895, 45U3895-PTX, 4A0040B02, 4A0040B05, 4A0040B13, P7EL30-004, P7UCX90-V06,

Chemical Family: Mixture

**Manufacturer's name and address:** Printronix LLC.

6440 Oak Canyon Rd, Suite 200

Irvine, CA 92618

**Information Telephone #:** 1 (714) 368-2300

**24 Hr. Emergency Telephone #:** CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887.

#### SECTION 2: HAZARDSIDENTIFICATION

**Classification:** Skin irritation Category 2

Eye irritationCategory 2BReproductive toxicityCategory 2Acute aquatic toxicityCategory 2Chronic aquatic toxicityCategory 2CarcinogenicityCategory 2

Labeling: Symbols:







Signal Word: Danger

**Hazard statements:** H315 Causes skin irritation

H319 Causes serious eye irritation H351 Suspected of causing cancer

H361 Suspected of damaging fertility or the unborn child

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

**Precautionary statements:** 

P333 + P313

P202 Do not handle until all safety precautions have been read and understood

P264 Wash skin thoroughly after handling P273 Avoid release to the environment

P281 Use personal protective equipment as required P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes.

Remove contact lenses if present and easy to do – continue rinsing If skin irritation or rash occurs: Get medical advice/attention P337 +

P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/container to an approved waste disposal plant



### **SECTION 3: COMPOSITION / INFORMATION**

#### **INGREDIENTS**

Ingredients	CAS#	Wt. %	GHS Classification	Hazard Statements	Pictograms
Oleic Acid	112-80-1	40 - 60	Skin Irritation (Cat 2)	H315	<b>(!)</b>
Solvent Black 7 Dye	8005-02-5	10 - 20	Serious Eye Irritation (Cat 2)	H319	<b>(!</b> )
2,2-Methylenebis (4-methyl-6-teriarybuty1 phenol)	119-47-1	<1	Reproductive Toxicity (Cat. 2) Chronic aquatic toxicity (Cat. 4)	H361 H413	<b>\$</b>
Methyl Ricinoleate	141-24-2	5 - 10	Toxic to aquatic life	H401	*
Mineral Oil Base Black		5 – 10	Toxic to aquatic life	H401	*
Aniline	62-53-3 < 0.20	<0.2	Carcinogenicity (Cat 2)	H351	<b>&amp;</b>

#### **SECTION 4: FIRST AID MEASURES**

**Inhalation:** Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is

difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.

**Skin contact:** Immediately flush with plenty of water, while removing contaminated clothing. When symptoms persist or

in all cases of doubt, seek medical advice.

Eye contact: Flush eyes with water for at least 15 minutes while holding eyelids open. When symptoms persist or in all

cases of doubt, seek medical advice.

**Ingestion:** Seek immediate medical attention/advice. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the

risk of aspiration.

**Notes for physician:** Treat symptomatically.

### **SECTION 5: FIRE FIGHTING MEASURES**

**Suitable extinguishing media:** Dry chemical, foam, carbon dioxide and water fog

**Fire hazards/conditions of flammability:** This material is not flammable.

Explosion data: Sensitivity to mechanical impact / static discharge: Not expected to be sensitive to mechanical impact or static

discharge.

**Special fire-fighting procedures/equipment:** 

Firefighters should wear protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

**Hazardous combustion products:** Oxides of carbon and nitrogen, irritating fumes and smoke.

NFPA Rating: Health: 2 Flammability: 1 Instability: 0 Special Hazards: 0



### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions:** All persons dealing with clean-up should wear the appropriate protective equipment. Do

not eat, drink or smoke while participating in clean up.

**Environmental precautions:** Ensure spilled product does not enter drains, sewers, waterways or confined spaces. For

large spills, dike the area to prevent spreading.

**Spill response/cleanup:** Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g.

sand), then place absorbent material into a container for later disposal (see Section 13).

Notify the appropriate authorities as required.

**Prohibited materials:** None specific

**Special spill response procedures:** In case of a transportation accident, in the United States contact CHEMTREC at 1-800-

424-9300 or International at 1-703-527-3887.

### **SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling:** Wear suitable protective equipment during handling. Do not ingest. Avoid contact with

skin, eyes and clothing. Wash thoroughly after handling.

**Conditions for safe storage:** Store in a cool, dry, well-ventilated area. Store away from incompatibles, temperature

extremes and out of direct sunlight. Inspect periodically for damage or leaks.

**Incompatible materials:** Strong oxidizing agents; strong reducing agents; acids

**Special packaging materials:** Always keep in containers made of the same materials as the supply container.

### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Components with workplace control parameters:

Component	CAS No.	Value	Control Parameters	Source
Aniline	62-53-3	TWA	2 ppm	USA ACGIH Threshold Limit Values (TLV)
			Remarks	Methemoglobinemia Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption
		TWA	5 ppm 19 mg/m3	USA OSHA Table Z-1 Limits for Air Contaminants
			Remarks	Skin contact does contribute to exposure
		TWA	2 ppm 8 mg/m3	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000
			Remarks	Skin contact does contribute to exposure
		TWA	2 ppm 8 mg/m3	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000
			Remarks	Skin notation
			Remarks	Potential Occupational Carcinogen See Appendix A



SECTION 11: TOXICOLOGICAL INFORMATION

Ventilation and engineering measures: Use general or local exhaust ventilation to maintain air concentrations

below recommended exposure limits.

**Respiratory protection:** If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of

which type of respirator is most suitable for the intended application should be obtained

from respiratory protection suppliers.

**Skin protection:** Impervious gloves must be worn when using this product. Advice should be sought

from glove suppliers.

**Eye / face protection:** Good industrial hygiene practices should be used when handling this product including

preventing eye contact and minimizing skin contact and inhalation.

**Other protective equipment:** As needed to prevent eye contact and minimizing skin contact and inhalation.

**General hygiene considerations:** Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat,

drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove

and wash contaminated clothing before re-use.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state:
Appearance:
Black liquid
Odor:
Mild
Odor Threshold:
N/Av
Specific Gravity:
0.9

pH: Not applicable
Boiling point: >300 °F
Melting/Freezing point: Not available
Coefficient of water/oil distribution: Not available

Vapor pressure (mm Hg @ 20°C / 68°F): Not available Vapor density (Air = 1): Heavier than air Evaporation rate (n-Butyl acetate = 1): Slower than n-Butyl

acetate **Solubility in water:** Slightly **Flash Point** >200 °F, TCC

Auto-ignition temperatureNotapplicableLower flammable limit (% by vol)NotapplicableUpper flammable limit (% by vol)NotapplicableFlame Projection LengthNot availableFlashback observedNot available

### **SECTION 10: STABILITY AND REACTIVITY**

**Chemical stability:** Stable under the recommended storage and handling conditions prescribed.

**Possibility of hazardous reactions:** None are known.

**Conditions to avoid:** Avoid heat and open flame.

**Materials to avoid and incompatibility:** See Section 7 (Handling and Storage) for further details.

**Hazardous decomposition products:** None known; refer to hazardous combustion products in Section 5.



**Routes of exposure:** *Inhalation:* Vapors and spray mist may irritate throat and respiratory

system and cause coughing

Skin contact: May be harmful in contact with skin. Defats the skin. May

cause redness and pain.

Eye contact: Corrosive. Prolonged contact causes serious eye and tissue

damage.

Ingestion: Not expected to be a route of exposure with proper use. May

be harmful if swallowed. Liquid irritates mucous membranes

and may cause abdominal pain.

**Toxicological data:** There is no available data for the mixture itself, only for the ingredients. See below

for individual ingredient acute toxicity data.

Ingredient	LD <sub>50</sub>	LD <sub>50</sub>	Skin corrosion/irritation	Serious eye damage/eye irritation
	Oral, rat	Rabbit, dermal	Skin, rabbit	Eyes, rabbit
Oleic acid Sorbitan trioleate Aniline 4-(phenylazo)benzene-1,3- diamine	74,000 mg/kg No data available 250 mg/kg 1,650 mg/kg	No data available No data available 820 mg/kg No data available	Human – Skin irritation – 3 d Skin irritation – 24 h Skin irritation – 24 h No data available	Mild eye irritation Mild eye irritation Severe eye irritation Moderate eye irritation – 24 h

Carcinogenic status: This product contains a component that has been reported to be possibly carcinogenic

based on its IARC, ACGIH, NTP or EPA classification.

Aniline IARC: 3 – Group 3: Not classifiable as to its carcinogenicity

to humans

NTP: No component of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by OSHA.

**Reproductive effects:** No information found

**Teratogenicity:** No information found

**Germ Cell Mutagenicity:** 

4-(phenylazo)benzene-1,3-diamine Rat – Liver - Unscheduled DNA synthesis

Aniline Laboratory experiments have shown mutagenic effects In vitro tests showed mutagenic

effects.

**Epidemiology:** No information found

**Specific target organ toxicity – single exposure:** 

4-(phenylazo)benzene-1,3-diamine Inhalation – May cause respiratory irritation

Conditions aggravated by overexposure: No information found



**Ecotoxicity:** No data is available on the mixture itself.

4-(phenylazo)benzene- Toxicity to fish: LC<sub>50</sub> Oryzias latipes 0.3 mg/l 48 h

1,3-diamine:

Oleic acid: Toxicity to fish: LC<sub>50</sub> Fathead Minnow 205 mg/l 96 h

Aniline Toxicity to fish: LC<sub>50</sub> Oncorhynchus mykiss 10.96 mg/l 96 h

Toxicity to aquatic invertebrates:  $EC_{50}$  Daphnia magna (water flea) 80 - 380 mg/l 48 h Toxicity to algae:  $EC_{50}$  Selenastrum 19 mg/l 72 h

**Mobility:** No data is available on the mixture itself.

**Persistence:** No data is available on the mixture itself.

**Bioaccumulation potential:** No data is available on the mixture itself.

Other adverse environmental effects: The ecological characteristics of this mixture have not been fully investigated.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Disposal recommendations:** Do not discharge into drains, water courses or onto the ground. Disposal

recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

**Hazardous Waste Code /RCRA:** Not regulated.

### **SECTION 14: TRANSPORT INFORMATION**

This material is not UN / IATA regulated.

This material is not classified as ICAO/IATA-DGR Dangerous Goods.

This material is not classified as hazardous per the IMDG Code.

This material is not classified as hazardous per ADR.

This material is not classified as hazardous per the U.S. Department of Transportation (DOT).

This material is not UN / IATA regulated.

Marine Pollutant: No



### **SECTION 15: REGULATORY INFORMATION**

Inventory Status: All listed ingredients appear on the Toxic Substances Control Act (TSCA) Inventory, EINECS/ELINCS,

AICS, and DSL.

This material is classified as hazardous under OSHA regulations (29CFR 19410.1200). See Section 2.

SARA 302: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: Aniline < 0.2% CAS No. 62-53-3

SARA 311/312 : Acute Health Hazard, Chronic Health Hazard

SARA 313: Subject to reporting levels established by SARA Title III, Section 313: Aniline < 0.2% CAS No. 62-53-3

**RCRA CODE:** None

**Hazardous Air Pollutants (HAPS):** Aniline < 0.2%

**US State "Right to Know" Laws:** 

California Proposition 65: Aniline CAS No. 62-53-3 <0.2%

Other US State "Right To Know" Lists:

The following chemicals are specifically listed by individual states: 4-(phenylazo)benzene-1,3-diamine (NJ, PA)

Oleic acid (PA, NJ) Sorbitan trioleate (NJ, PA) Aniline (MA, PA, NJ)

**International Information:** 

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

#### **SECTION 16: OTHER INFORMATION**

**HMIS Rating:** Health: \*2 Flammability: 1 Reactivity: 0

\*Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4- Severe

**Legend:** ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Services

CERCLA Comprehensive Environementa; Response, Compensation, and Liability Act of 1980

CFR Code of Federal Regulations
DOT Department of Transportation
EPA Environmental Protection Agency

HMIS Hazardous Material Identifications System

HSDB Hazardous Substances Data Bank

IARC International Agency for Research on Cancer

Inh Inhalation

MSHA Mine Safety and Health Administration NFPA National Fire Protection Association

NIOSH National Institute of Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration



PEL Permissible exposure limit

RCRA Resource Conservation and Recovery Act

RTECS Registry and Toxic Effects of Chemical Substances SARA Superfund Amendments and Reauthorization Act

STEL Short Term Exposure Limit

TDG Canadian Transportation of Dangerous Goods Act and Regulations

TLV Threshold Limit ValuesTPQ Threshold Planning QuantityTSCA Toxic Substances Control ActTWA Time Weighted Average

WHMIS Workplace Hazardous Materials Identification System

#### **References:**

- 1. ACGIH, Threshold Limit Values and Biological Exposure Indices
- 2. International Agency for Research on Cancer Monographs
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases (Chempendium, HSDB and RTECs)
- 4. Material Safety Data Sheets for manufacturers
- 5. US EPA Title III List of Lists
- 6. California Proposition 65 List

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.