



Printing date 03/12/2017 Reviewed on 03/08/2017

## 1 Identification of the Substance/Mixture and of the Company/Undertaking

· Product identifier

· Trade name: INK6175 Matrix Black 3%

· Article number: INK6175

· Application of the substance / the mixture Printing inks

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Static Control Components Inc.

P.O. Box 152

Sanford, North Carolina, 27331

info@scc-inc.com

· Information department: Product Safety Department

· Emergency telephone number:

During Normal Operating Hours: 919-774-3808

Emergency Telephone Number: 1-919-770-7984 or 1-919-770-6019

### 2 Hazards Identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None required
- · Hazard pictograms None required
- · Signal word None required
- · Hazard statements None required
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*01 Fire = 1

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

## 3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

· **Description:** Printing ink

(Contd. on page 2)



Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

		(Contd. of page
· Dangerous	components:	
1333-86-4	Carbon black (bound)	2.5-10%
· Non-hazaro	lous components	
	Oleic acid, mono ester with pentaerythritol	25-50%
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	10-25%
8005-02-5	Solvent Black 7	10-25%
8016-28-2	Fatty Acid	2.5-109
	Bis(2-propylheptyl) phthalate	2.5-109
	Triglycerides	2.5-109
	Solvent violet 8	2.5-109
	C.I. Solvent Orange 3	≤ 2.5%
	Oxidized fish oil	≤ 2.5%
	Pigment Blue	≤ 2.5%

## **4 First Aid Measures**

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5 Firefighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: No Information Available
- · Special hazards arising from the substance or mixture

Like most finely divided organic powders, toner dust may form an explosive mixture in air.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **6 Accidental Release Measures**

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 2)

## · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

#### · Handling:

### · Precautions for safe handling

No special measures required.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

## · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

### · Conditions for safe storage, including any incompatibilities

#### · Storage:

## · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

## $\cdot$ Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.

### · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from humidity and water.

· **Specific end use(s)** No further relevant information available.

## **8 Exposure Controls/Personal Protection**

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 3)

### · Control parameters

· Components with limit values that require monitoring at the workplace:		
1333-86-4 Carbon black (bound)		
PEL	Long-term value: 3.5 mg/m³	
	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C	
	Long-term value: 3* mg/m³ *inhalable fraction	

## · Additional Occupational Exposure Limit Values for possible hazards during processing:

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale dust / smoke / mist.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 $\cdot$  Eye protection:

Safety glasses

(Contd. on page 5)






Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 4)



9 Physical and Chemical Prope	erties		
<ul> <li>Information on basic physical and</li> <li>General Information</li> <li>Appearance:</li> </ul>	chemical properties		
Form:	Liquid		
Color:	Black		
· Odor:	Characteristic		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
<b>Boiling point/Boiling range:</b>	Undetermined.		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:			
<b>Decomposition temperature:</b>	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard in its original state.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not determined.		
· Density:	SG: 1.3-1.8		
· Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
· Solvent content:			
Organic solvents:	0.0 %		

(Contd. on page 6)



Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 5)

VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content: Other information	99.7 % No further relevant information available.	

## 10 Stability and Reactivity

- · Reactivity Non reactive.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- · on the eye: No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- Sensitization: No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- $\cdot$  Other information (about experimental toxicology):
- Mutagenicity: Ames test Negative (According to the test result of similar composition.)
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Only unbound carbon black considered a Group 2 Carcinogen by IARC

1333-86-4 Carbon black (bound)	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)





Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 6)

- · Ecotoxical effects:
- · **Remark:** Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

4 Transport Information	
· UN-Number	Not a regulated material under the United States DOT, IMDG, ADI RID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Not a regulated material under the United States DOT, IMDG, ADI RID, or ICAO/IATA
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADRID, or ICAO/IATA.
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	Not a regulated material under the United States DOT, IMDG, AD RID, or ICAO/IATA.
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex I	I of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void





Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 7)

## 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely	hazardous	substances)	):
---------------	------------	-----------	-------------	----

None of the ingredients is listed.

### · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

### · TSCA (Toxic Substances Control Act):

15011 (101	16011 (Tokie Bubblinees Control Net).	
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	
8005-02-5	Solvent Black 7	
8016-28-2	Fatty Acid	
1333-86-4	Carbon black (bound)	

· Proposition 65

## · Chemicals known to cause cancer:

1333-86-4 Carbon black (bound)

## · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

## · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

## · EPA (Environmental Protection Agency)

None of the ingredients is listed.

## TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black (bound)

A4

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black (bound)

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.





Printing date 03/12/2017 Reviewed on 03/08/2017

Trade name: INK6175 Matrix Black 3%

(Contd. of page 8)

## 16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Date of preparation / last revision 03/12/2017 / -

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

## \* Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.